


WoolMaster™

Rug and Fabric Preconditioner

HydraMaster is pleased to provide you with a preconditioner/pre-spray specifically formulated to safely and effectively clean oriental rugs, wool rugs, carpet, and fabric; natural and cotton fiber rugs and fabric; and other investment textiles. **WoolMaster** combines specialized encapsulation surfactants, detergents, and conditioning agents to specifically target the soils that rugs and fabrics are commonly exposed to.



If for any reason you are not thrilled with the performance of **WoolMaster**, return it to your distributor and we'll get you a product that does.

Net Contents:
One U.S. Gallon (3.78 liters)



RUG CARE

RTU pH 8.0-8.5

1:16 - 24

For use on wool and other natural fiber rugs, fabric, and carpeting

Before using, the user shall determine the suitability of this product for its intended use, and user assumes all risk and liability whatsoever in conjunction therewith. The user should thoroughly review the material safety data sheet for this product and follow recommendations for mixing, application, disposal, and the use of any applicable personal protective equipment (PPE). The manufacturer, distributor, and seller of this product warrant that the chemical contained herein conforms to its standard specifications.

Seller's and manufacturer's liability for any and all losses or damages resulting from any cause whatsoever shall in no event exceed the purchase price of this product, with respect to which losses or damages are claimed. The manufacturer and seller make no representation or warranty, including merchantability or any other kind, expressed or implied. The foregoing may not be altered except by written agreement by officers of the manufacturer.

HydraMaster is pleased to provide you with a preconditioner/pre-spray specifically formulated to safely and effectively clean oriental rugs, wool rugs, carpet, and fabric; natural and cotton fiber rugs and fabric; and other investment textiles.

WoolMaster combines specialized encapsulation surfactants, detergents, and conditioning agents to specifically target the soils that rugs and fabrics are commonly exposed to. Most "wool" and "fine fabric" cleaning agents are just pH reduced carpet prespray formulations or old shampoo formulas. **WoolMaster** brings state of the art technology to cleaning investment textiles. **WoolMaster** was formulated from the beginning for the specific purpose of effectively cleaning the most challenging rugs and fabrics, and meets and exceeds the safe standards for cleaning wool fibers and fabrics. **WoolMaster** is also formulated to match the versatility of the cleaning professional, working effectively at both "on-location" and "in-plant" cleaning set-ups. It can be applied like a typical prespray or used effectively in a rug washing pit. **WoolMaster** is super-concentrated, most often mixed 1:16-24. It has a slightly alkaline formula with a pH of 8.0-8.5.

Contents: Sodium Citrate (CAS# 6132-04-3), Sodium gluconate (CAS# 527-07-1), Dipropylene glycol methyl ether (CAS#34590-94-8); Proprietary Polymers and Proprietary Surfactants

Directions: Pre-Cleaning Procedures for all Rugs:

1. Read entire label before using. Use only as directed.
2. Carefully pre-inspect the rug, fabric, or carpet before proceeding. Identify fiber content, construction, dye stability, shrinkage considerations, and pre-existing damage. Always test every rug for dye bleeding potential. Carefully look for conditions which could contribute to cleaning related challenges such as pre-existing pet urine, water damage, fiber deterioration, past cleaning residues, and fringe discoloration. Follow industry recommended cleaning procedures and standards of care.
3. The preferred method for cleaning investment textile rugs is in-plant.
4. If cleaning on-location, work area preparation must include:
 - a. Make sure there is adequate airflow for drying and ventilation.
 - b. Adequate and safe work area where you can safely move the required cleaning equipment and tools around and the rug can be safely cleaned on the floor without causing damage to or from other surfaces which might bleed color when moist or wet.
 - c. Always keep white, cotton, colorfast towels handy to wipe up any cleaning solution overspray which may get on other surfaces
5. Prior to wet cleaning, remove as much dry soil as possible from the rug utilizing a vacuum (with a beater bar), portable rug dusting unit, compressed air system, or automated duster. Follow equipment manufacturer directions.

On-Location Cleaning:

1. Follow all **Pre-Cleaning Procedures** above
2. **WoolMaster** should be used as a preconditioner for soiled rugs.
 - a. For use with Pump/Electric Sprayers: Mix 6 oz. of **WoolMaster** with 1 gallon hot water (1 to 24). For exceptionally heavy soil, mix 8 oz of solution per gallon of water (1-16). Spray until carpet or fabric is damp. Do not allow carpet or fabric to dry before extraction.
 - b. For use with In-Line Injection Sprayer: For use with regular 1-8 Hydro-Force Pro Sprayer, mix 1 part **WoolMaster** to 2 parts water in 5 quart container. Apply evenly across carpet. Do not over-apply solution. Do not allow carpet to dry before extraction.

5. For extraction rinse, mix **RinseOut** in solution tank of extraction unit according to the following directions:
 - a. Portable extractor: Mix 2 oz of solution to 5 gallons of water in extraction tank.
 - b. Truckmount: Mix 1 quart solution (32 oz) with 5 gallons of water into solution container. Set solution flow meter between 2 and 3.
8. Cleaning fringes constructed of cotton fiber may require special solutions and cleaning application utilizing **HydraBoost CT**. Proceed to Fringe cleaning procedures if necessary.
9. Speed dry utilizing axial, downdraft or centrifugal airmovers
10. Groom or brush as needed.

In-Plant Cleaning:

1. Follow all Pre-Cleaning Procedures
2. **WoolMaster** can be used as a preconditioner for soiled rugs as a cleaning detergent in a rug wash pit.
 - a. For use with pump/electric sprayers: Mix 6 oz. of **WoolMaster** with 1 gallon hot water (1 to 24). For exceptionally heavy soil, mix 8 oz. of solution per gallon of water (1-16). Spray until rug is damp. Do not allow rug to dry before extraction.
 - b. For use as a cleaning detergent in rug wash pit: Use solution in accordance with industry standards of care according to fiber content, construction, and dye stability. Mix 6 to 12 oz. of solution with each gallon of water depending upon soiling levels. Agitate with appropriate brushes, either mechanically or by hand.
3. Rinse rug with clear water. For natural fibers, use warm or cold water.
4. Cleaning fringes constructed of cotton fiber may require special solutions and cleaning application utilizing **HydraBoost CT**. Proceed to fringe cleaning procedures section if necessary.
5. If utilizing extractor, wringer, or centrifuge, follow machine instructions. Hang on rack according to instructions. Speed drying utilizing downdraft or centrifugal air movers. Consider use of heat drying or dehumidification equipment based upon room temperature, humidity levels, and rug construction.
6. Groom or brush as needed.

GHS U.S. – CLASSIFICATION: Not Classified
Not classified under GHS

PRECAUTIONARY STATEMENTS (GHS-US)
Not applicable.

The product is classified and labeled according to the Globally Harmonized System (GHS)

GHS PHYSICAL HAZARDS: Not applicable.

PRECAUTIONARY STATEMENTS (GHS-US)

If medical advice is needed, have product container or label at hand.

Keep out of reach of children. Read label before use.

IF SWALLOWED:

Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

CLASSIFICATION SYSTEM: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme.

NFPA RATINGS (SCALE 0-4): Health = 1, Fire = 0, Reactivity = 0

HMIS RATINGS (SCALE 0-5): Health = 1, Fire = 0, Reactivity = 0



See Safety Data Sheet (SDS): scan here or visit www.hydramaster.com for additional safety and regulatory information.

Lot:
Part # 950-242-S Art 950-242-S R2

HydraMaster

11015 47th Avenue West
Mukilteo, WA 98275
425.775.7272



www.HydraMaster.com

The HydraMaster logo, featuring the word "HydraMaster" in a bold, blue, sans-serif font. A red and blue swoosh underline is positioned above the letters "ydra".