#### **SECTION 1- PRODUCT IDENTIFICATION**

PRODUCT NAME		HYDRABOOST CT
SYNONYMS	:	Product is a mixture: No synonyms are available.
PRODUCT USE	:	Moderately Alkaline Material
SUPPLIER	:	HYDRAMASTER INC.
SUPPLIER'S ADDRESS	:	11015 47TH AVE W, MUKILTEO, WA 98275
		(425) 776-7272
EMERGENCY RESPONSE PHONE	:	PERS: 1-800-633-8253

#### **SECTION 2 – HAZARD IDENTIFICATION**

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE				
GHS U.S. – CLASSIFICATION	:	H302	Harmful if swallowed	
		H315	Causes skin irritation	
		H319	Causes serious eye irr	itation
LABEL ELEMENTS	:	GHS – US H	AZARD PICTOGRAMS	The product is classified and labeled according
				to the Globally Harmonized System (GHS).
HAZARD PICTOGRAMS	:	$\wedge$		
		$\checkmark$		
SIGNAL WORD	:	WARNING		
HAZARD STATEMENTS (GHS-US)	:		Not established	
(015 05)	:	H302	Harmful if swallowed	
	:	H315	Causes skin irritation.	
	:	H319	Causes serious eye irr	itation.
PRECAUTIONARY STATEMENTS (GHS-US)	:	P101	If medical advice is needed, have product container or label a	
	:	P102	Keep out of reach of o	children.
	:	P103	Read label before use	
	:	P264	Wash skin and contar	ninated clothing thoroughly after handling.
	:	P270	Do not eat, drink or s	moke when using this product.
	:	P280	Wear suitable protect protection/face protection	tive gloves/protective clothing/eye
	:	P301+		a POISON CENTER or doctor/physician if you feel
	•	P312	unwell.	
	:	P302+P352		ith plenty of soap and water.
	:	P305+351+		iously with water for several minutes. Remove
	•	P338		sent and easy to do. Continue rinsing.
	:	P332+P313		s: Get medical advice/attention.
	:	P337+P313		ts: Get medical advice/attention.
	:	P501		container in accordance with
			-	al/international regulations
CLASSIFICATION SYSTEM	:	NFPA/HMIS	Definitions: 0-Least, 1-S	light, 2-Moderate, 3-High, 4-Extreme.
NFPA RATINGS (SCALE 0-4)	:	Health = 2, Fire = 0, Reactivity = 0		
HMIS RATINGS (SCALE 0-5)	:	Health = 2, F	ire = 0, Reactivity = 0	

### SECTION 3 – COMPOSITON/INFORMATION ON INGREDIENTS

#### CHEMICAL CHARACTERISTIC : Mixtures DESCRIPTION : Mixture of

: Mixture of the substances listed below with nonhazardous additions.

COMPONENT	PERCENT	CAS #	EINECS #	GHS CLASSIFICATION
Sodium Carbonate	40-60	497-19-8	207-838-8	Skin Irrit. Cat 2, Eye Irrit. Cat 2A
Sodium Metasilicate	10-20	6834-92-0	229-912-9	Skin Corr: Cat 1C, Eye Corr. Cat 1
Trisodium Phosphate Crystals	10-20	10101-89-0	Not Found	Skin Irrit Cat 2
Propylene Glycol Butyl Ether	1-5	5131-66-8 &	225-878-4	Skin Irrit. Cat 2, Eye Irrit. Cat 2A
		18821-83-7		
Ethylenediamine Tetraacetate Na salt	1-5	64-02-8	200-573-9	Skin Irrit Cat 2, Eye Dam Cat 2A
Alcohol Ethoxylate	1-5	68439-46-3	Not Found	Eye Irrit Cat 2B
Sodium Percarbonate	10-20	15630-89-4	239-707-6	Oxidizing Solid Cat 2, Skin Irrit Cat 4
				Eye Dam Cat 1
Dimethyl ammonium chloride Mixture	0.1-1	68424-85-1	270-325-2	Acute Oral Tox. Cat 4, Skin Irr. Cat 4
D-Limonene (citrus terpenes)	1-5	5989-27-5	227-813-5	Flam Liq Cat 3, Acute Tox Oral Cat 5,
				Skin Irrit Cat 2, Eye Irrit Cat 2A,
				Skin Sens Cat 1, Acute Tox Aquatic
				Cat1

Irrit. = Irritation, Corr. = Corrosion, Cat. = Category, Dam = Damage, Tox = Toxic, STOT SE = Single Target Organ Toxicity Single exposure.

### **SECTION 4 – FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES**

GENERAL	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. Show the label where possible.
EYE CONTACT	: Immediately flush eyes with water for at least 15 minutes. Hold eyelids open to ensure adequate flushing. Get immediate medical attention.
SKIN CONTACT	: Remove contaminated clothing and shoes. Wash affected skin area with soap and water. Delayed skin damage is possible if product is not completely washed off. Get immediate medical attention.
SWALLOWING (INGESTION)	: If ingested, dilute swallowed material by drinking water. DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. Never give anything by mouth to an unconscious person. Get immediate medical attention.
INHALATION	: Remove to fresh air. Get immediate medical attention.
OTHER INSTRUCTIONS	: Rescue personnel must wear appropriate protective equipment during removal of victims from contaminated areas. Treat symptomatically and supportively.

### SECTION 5 - FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS	<ul> <li>Dry chemical, foam, water or carbon dioxide.</li> <li>In the event of a fire, wear a NIOSH (USA) or CEN (EU) approved, positive pressure, self-contained breathing apparatus (SCUBA) and full protective clothing. Evacuate all non-essential personnel from the danger area.</li> </ul>
UNUSUAL FIRE AND EXPLOSION HAZARDS	: No further relevant information is available.

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,	:	Restrict access to keep out unauthorized or unprotected personnel. Wear protective
<b>PROTECTIVE EQUIPMENT &amp;</b>		equipment. Avoid inhalation and direct contact.

### EMERGENCY PROCEDURES ENVIRONMENTAL PROCEDURES METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

: Keep spilled material away from sewage/drainage systems and waterways.

: All clean-up personnel must be properly trained. Confine the spill and remove incompatible materials and ignition sources. Ensure adequate ventilation. Secure the source of the leak if conditions are safe. Neutralize spill and collect using an appropriate absorbent material such as clay or vermiculite. Place waste in an appropriate container for disposal. Use care during clean-up to avoid exposure to the material and injury from broken containers.

#### SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING	: Use with adequate ventilation. Wear proper protective equipment. Do not mix with water or acids without proper dilution and agitation to prevent a potentially violent reaction.
CONDITIONS FOR SAFE STORAGE	<ul> <li>Store in closed, properly labeled containers. Protect containers from heat, physical damage, ignition sources and incompatible materials. Have emergency equipment for fires and spills readily available.</li> </ul>

#### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

### TLV (THRESHOLD LIMIT VALUE)

: The TLV in section in section III is the ACGIH/TLV-TWA (threshold limit value/time weighted average concentration for an eight hour work day). The STEL is the short term exposure limit and the (Ceil) is the ceiling limit.

COMPONENT	OSHA PEL – TWA	ACGIH – TLV	ACGIH – STEL
Sodium Carbonate	Not Established	Not Established	Not Established
Sodium Metasilicate	8hr Recommended: 3mg/m <sup>3</sup>	Not Established	Not Established
Trisodium Phosphate Crystals	Not Established	Not Established	Not Established
Propylene Glycol Butyl Ether	Not Established	Not Established	Not Established
Ethylenediamine Tetraacetate (EDTA)	Not Established	Not Established	Not Established
Alcohol Ethoxylate	Not Established	Not Established	Not Established
Sodium Percarbonate	Not Established	Not Established	Not Established
Dimethyl ammonium chloride mixture	Not Established	Not Established	Not Established
D-Limonene (citrus terpenes)	Not Established	Not Established	Not Established

EYE PROTECTION SKIN PROTECTION	<ul> <li>Wear chemical splash goggles or face shield.</li> <li>Minimize contact with product. Wear chemical resistant coveralls, boots, gloves, apron and/or suitable long-sleeved clothing.</li> </ul>
RESPIRATORY PROTECTION	: In case of brief exposure use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.
VENTILATION	: Ensure adequate ventilation.
ADDITIONAL MEASURES	: Emergency eyewash and safety shower facilities should be available in the immediate work area.
REQUIRED WORK/HYGIENE	: Wash hands thoroughly after handling. Keep away from all food stuffs, beverages and feed. Do not eat, drink or smoke in work area.

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE
ODOR

- : Blue free flowing powder with mild odor.
- : Mild odor.

ODOR THRESHOLD	:	Not available
РН	:	11.0 - 11.5 (2% solution)
MELTING POINT/FREEZING	:	Not available
POINT		
BOILING POINT	:	NOT EST.
FLASH POINT	:	Non flammable, non combustible
EVAPORATION RATE	:	Not available
FLAMMABILITY	:	Non flammable-Non combustible
LOWER FLAMMABILITY LIMIT	:	Not available
UPPER FLAMMABILITY LIMIT	:	Not available
VAPOR PRESSURE	:	Not available
VAPOR DENSITY (AIR=1)	:	Not available
RELATIVE DESNITY	:	> 1.
SOLUBILITY IN WATER	:	Soluble in water
PARTITION COEFFICIENT n-	:	Not available
OCTANOL/WATER		
AUTOIGNITION TEMPERATURE	:	Not available
DECOMPOSITION	:	Not available
TEMPERATURE		

### SECTION 10 - STABILITY AND REACTIVITY

STABILITY HAZARDOUS CONDITONS TO AVOID	Stable under recommended storage conditions. No decomposition if used according to specifications
INCOMPATIBLE MATERIALS HAZARDOUS DECOMPOSITION PRODUCTS	Keep away from strong acids. No dangerous decomposition products known.

#### SECTION 11 – TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION ACUTE TOXICITY SKIN CORROSION/IRRITATION SERIOUS EYE DAMAGE/IRRITATION	::	Sodium Carbonate Not Classified. LD50 values: Oral LD50: 4090mg/kg (rat). Causes skin irritation. Causes serious eye irritation.
TOXICOLOGICAL INFORMATION	:	Sodium Metasilicate
ACUTE TOXICITY	:	LD50 Oral: 1280mg/kg (Rat), 2400mg/kg (mouse)
CHRONIC TOXICITY	:	No data were available regarding chronic exposure, reproductive or teratological effects, or carcinogenicity for sodium metasilicate.
CARCINOGENICITY	:	This product is not classified as a carcinogen by NTP, IARC or OSHA.
TOXICOLOGICAL INFORMATION	:	Trisodium Phosphate Crystals
ACUTE TOXICITY	:	Oral - rat LD50: 6,500 mg/kg; practically nontoxic
		Dermal - rabbit LD50: > 7,940 mg/kg; practically nontoxic
		Eye Irritation - rabbit (4-hr exp.): corrosive
		Skin Irritation - rabbit: 3.3/8.0; moderately irritating
TOXICOLOGICAL INFORMATION	:	Propylene Glycol Butyl Ether
ΑСИТЕ ΤΟΧΙСΙΤΥ		LD 50 Rat: 2,200 mg/kg
ACOLETOMETT	•	
ACUTE INHALATION TOXICITY	:	

TOXICOLOGICAL INFORMATION ACUTE TOXICITY INHALATION LC50 DERMAL LD50 OTHER INFORMATION ON ACUTE TOXICITY	<b>Ethylenediamine Tetraacetate</b> LD50 Oral (rat): 630 - 1,260 mg/kg, No data available No data available No data available	
TOXICOLOGICAL INFORMATION ACUTE TOXICITY INHALATION LC50 DERMAL LD50 PRIMARY SKIN IRRITATION	Ethoxylated Alcohol LD50 Oral (rat): 1,378 mg/kg, No data available. LD50 Dermal (rat): > 5,000 mg/kg. (Rabbit) Moderate to severely irritating.	
PRIMARY EYE IRRITATION	(Rabbit) Severely irritating.	
ACUTE TOXICOLOGICAL INFORMATION ACUTE TOXICITY CHRONIC EFFECTS ON HUMANS OTHER TOXIC EFFECTS ON HUMANS SPECIAL REMARKS ON OTHER TOXIC EFFECTS ON HUMANS	Acute oral toxicity (LD50): 2200 mg/kg [Mouse]. No data available Very hazardous in case of skin contact (irritant). Hazardous in case of ingestion, o inhalation. Slightly hazardous in case of skin contact (sensitizer). Material is irritating to mucous membranes and upper respiratory tract.	of
TOXICOLOGICAL INFORMATION ACUTE TOXICITY CARCINOGENICITY	<b>Dimethyl Ammonium Chloride mixture</b> LD50 values: Oral LD50: 405 mg/kg (rat). LC50 dermal: 740 mg/kg. US ACGIH Threshold Limit Values: A3 carcinogen: Ethanol (64-17-5) Group <i>A</i> confirmed animal carcinogen with unknown relevance to humans.	43
	Very Toxic to aquatic organisms Information available upon request. Please conta Wesmar Co. Technical Service Department.	ct
PERSISTENCE AND BIODEGRADABILITY BIOACCUMULATION	This product is biodegradable. No data available.	
TOXICOLOGICAL INFORMATION ACUTE TOXICITY	<b>D-Limonene (Citrus Terpenes)</b> LD50 Oral (rat): >5000 mg/kg. LD50 Dermal (rabbit): >5,000 mg/kg, RD50 Inhalation (mice): > 1,000 mg/kg.	
IRRITATION BIOACCUMULATION CARCINOGENICITY	Prolonged or repeated exposure can cause drying or dermatitis of skin. No appreciable bio-concentration is expected in the environment. This product is not classified as a carcinogen by OSHA, IARC, ACGIH or NTP.	

#### **SECTION 12 – ECOLOGICAL INFORMATION**

ECOLOGICAL INFORMATION ECOTOXICITY PERSISTENCE and DEGRADABILITY	<ul> <li>Sodium Carbonate</li> <li>LC50 Fishes 1: 300mg/L, EC Daphnia: 265mg/L, LC50 Fishes 2: 740mg/L.</li> <li>No data available.</li> </ul>
<b>BIOACCUMULATIVE POTENTIAL</b>	: No data available.
ECOLOGICAL INFORMATION ECOTOXICITY (Aquatic Toxicity) BIODEGRADATION PERSISTENCE BIOCONCENTRATION	<ul> <li>Sodium Metasilicate</li> <li>This material has exhibited moderate toxicity to aquatic organisms.</li> <li>This material is inorganic and not subject to biodegradation.</li> <li>This material is believed to persist in the environment.</li> <li>This material is not expected to bio-concentrate in organisms.</li> </ul>
ECOLOGICAL INFORMATION ECOTOXICITY	<ul> <li>Trisodium Phosphate Crystals</li> <li>Invertebrate: 48-hr EC50 Daphnia magna: &gt;1000 mg/L; Practically Nontoxic.</li> </ul>

ENVIRONMENTAL FATE	Coldwater F No definitiv Phosphates the environ condition is oxygen leve	er Fish: 96-hr LC50 Bluegill sunfish: 440 mg/L; Practically Nontoxic. Fish: 96-hr LC50 Rainbow trout: 260 mg/L; Practically Nontoxic. e algal toxicity data was available for this material. : Inorganic phosphates, including this product, at high concentrations in ment have the potential to cause eutrophication in aquatic systems. This is characterized by excessive algal growth, and subsequent decreases in els. In general, proper use and disposal of this product should pose no ological risk.
ECOLOGICAL INFORMATION ECOTOXICITY: TOXICITY TO FISH TOXICITY TO DAPHNIA TOXICITY TO ALGAE TOXICITY TO BACTERIA	Propylene No data ava No data ava No data ava No data ava	iilable iilable
ECOLOGICAL INFORMATION ECOTOXICITY PERSISTENCE AND DEGRADABILITY BIOACCUMULATIVE POTENTIAL	<b>Ethylenedia</b> No data ava No data ava No data ava	ilable.
ECOLOGICAL INFORMATION ECOTOXICITY	products.	<b>d Alcohol</b> ow Trout: 1-10 mg/l, 96hr. Value estimated from tests on similar ad Minow: 6 mg/l, 96hr. Value estimated from tests on similar products.
BIODEGRADABILITY PERSISTENCE AND DEGRADABILITY BIOACCUMULATIVE POTENTIAL	Readily bio No data ava No data ava	degradable. ilable.
ECOLOGICAL INFORMATION ECOTOXICITY BOD5 AND COD PRODUCTS OF BIODEGRADATION TOXICITY OF THE PRODUCTS OF BIODEGRADATION SPECIAL REMARKS ON THE	Sodium Per Not availab Not availab Possibly ha term degrad	rcarbonate le. le. zardous short term degradation products are not likely. However, long dation products may arise. ts of degradation are more toxic.
PRODUCTS OF BIODEGRADATION ECOLOGICAL INFORMATION	Dimethyl A	mmonium Chloride mixture
ECOTOXICITY BIODEGRADABILITY BIOACCUMULATIVE POTENTIAL	Hydramaste	to aquatic organisms Information available upon request. Please contact er Corp. Technical Service Department. t is biodegradable. nilable.
ECOLOGICAL INFORMATION ECOTOXICITY MOBILITY	There is no produce sig shown that decreasing a film, shee Citrus Terpe	e (Citrus Terpenes) information available at this time for this product. However, a spill may nificant toxicity to aquatic organisms and ecosystems. Some studies have certain bacteria and fungi have the ability to degrade citrus terpenes, their toxicity to fish. When spilled, this product may act as an oil, causing n, emulsion or sludge at or beneath the surface of a body of water enes volatize rapidly.
PERSISTENCE AND	Readily bio	นะหมายการการการการการการการการการการการการการก

**BIOACCUMULATIVE POTENTIAL** : Bio-concentration is not expected to occur.

DEGRADABILITY

	SECTION 13 – DISPOSAL CONSIDERATIONS
WASTE DISPOSAL	: This product must be disposed of in accordance with Federal, state and local environmental regulations. Discarded materials may be considered hazardous waste due to pH/corrosivity. It is the responsibility of the product user to determine at the time of disposal whether a material containing, or derived from this product, should be classified as a hazardous waste.
	SECTION 14 – TRANSPORTATION INFORMATION
DOT/IMDG/ IATA PROPER SHIPPING NAME	: Not Hazardous
HAZARD CLASS AND LABEL	: Not Applicable.
UN NUMBER	: Not Applicable.
PACKAGING GROUP	: Not Applicable.
EPA REPORTABLE QUANTITY (RQ)	: Not Applicable.
MARINE POLLUTANT	: Not listed.
EMERGENCY RESPONSE GUIDE	: Not Applicable.

### SECTION 15 – REGULATORY INFORMATION

### U.N. GHS CLASSIFICATION & LABELING INFORMATION: See Section 2 for GHS Hazard Information

U.S. FEDERAL REGULATORY INFO LISTED CARCINOGEN TSCA STATUS SARA SECTION 302	<ul> <li>RMATION:</li> <li>Not listed.</li> <li>The ingredients of this product are listed in TSCA inventory (40CFR 710.)</li> <li>No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.</li> </ul>
SARA SECTION 312	: Chronic health hazard (Glycol Ether DPM).
SARA SECTION 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
NFPA HEALTH	: 2
NFPA FLAMMABILITY	: 0
NFPA REACTIVITY	: 0
EUROPEAN UNION REGULATORY	INFORMATION:
EC CLASSIFICATION	: Non Hazardous
DSD/DPD RISK (R) PHRASES	: R22: Harmful is swallowed. R36/38: Irritating to eyes and skin.
DSD/DPD SAFETY (S) PHRASES	<ul> <li>S1/2: Keep locked up and out of reach of children.</li> <li>S24/25: Avoid contact with eyes and skin.</li> <li>S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> </ul>

DSD/DPD HAZARD SYMBOL	<ul> <li>S36/S37/39: Wear suitable protective clothing, gloves and eye/face protection.</li> <li>S45: In case of accidents or if you feel unwell, seek medical advice immediately. Show label where possible.</li> <li>S61: Avoid release to the environment.</li> <li>S62: If swallowed, do not induce vomiting.</li> <li>S64: If swallowed, rinse mouth with water if victim is conscious.</li> <li>Xi: Irritant</li> </ul>	
CANADIAN REGULATORY INFORM	ATION:	
WHMIS CATEGORY	: D2B: Materials that cause other toxic effects (TOXIC).	$\frown$
DOMESTIC SUBSTANCES LIST (DSL)	: Listed	<b>(T)</b>

INGREDIENT DISCLOSURE LIST : Listed

U

	SECTION 16 – OTHER INFORMATION
DISCLAIMER	: The information contained herein has been compiled from sources believed to be realiable and accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Hydramaster Corp. assumes no responsibility for injury to any person or property resulting from any use of the material. Each use assumes the risk in their use of this product and should review the data and recommendations in the specific context of their intended use.
CERCLA	: Comprehensive Environmental Response, Compensation, and Liability Act.
EINECS	: European Inventory of Existing Commercial Chemical Substances
IMDG	: International Maritime Code for Dangerous Goods
IARC	: International Agency for Research on Cancer
ΙΑΤΑ	: International Air Transportation Association
ACGIH	: American Conference of Governmental Industrial Hygienists
NFPA	: National Fire Protection Association (USA)
NTP	: National Toxicology Program
SARA	: Superfund Amendments and Reauthorization Act
TSCA	: Toxic Substances Control Act
HMIS	: Hazardous Materials Identification System (USA)
WHMIS	: Workplace Hazardous Materials Information System
LC50	: Lethal concentration, 50 percent
LD50	: Lethal dose, 50 percent
STOT	: Systemic Target Organ Toxicity
DATE PREPARED	: JAN 2, 2013
DATE REVISED	: March 28, 2018